(b)(2)	
(b)(2)	
XXXII.	(U) Amount of Light Available for Night Observation by Gua
	9 June 2006
· ·	
f 9/10 Ju	9 June 2006 9 June 2006 ndings of fact regarding the illumination inside Alpha Block on
	9 June 2006 9 June 2006 ndings of fact regarding the illumination inside Alpha Block on
f 9/10 Ju	9 June 2006 9 June 2006 ndings of fact regarding the illumination inside Alpha Block on
f 9/10 Ju	9 June 2006 Indings of fact regarding the illumination inside Alpha Block on the 2006 include: 5. (FOUO) MA3 (b)(3): stated that (b)(2)
f 9/10 Ju	9 June 2006 Indings of fact regarding the illumination inside Alpha Block on ne 2006 include:

 ¹⁷⁶ NCIS Exhibit 115 (TAB K4).
 ¹⁷⁷ NCIS Exhibit 115, Enclosure D8, D24, D25, D42, D45 (TAB K4).
 ¹⁷⁸ NCIS Exhibit 115, Enclosure E7, E10, E13, E15 (TAB K4).
 ¹⁷⁸ NCIS (b)(3):10 USC §130b,(b)(6),(b)(7)(C).
 ¹⁷⁶ NCIS (b)(3):10 USC §130b,(b)(6),(b)(7)(C).

(b)(2)	
7. (FOUO)	
8. (FOUO) COL(b)(3):10	USC stated that (b)(2)
(b)(2)	-
9. $(FOUO)$ MA3(b)(3):1	stated that it was (b)(2)
9. $(FOUO) MA3(b)(3):1$ (b)(2)	State of the state
10. (FOUO) The (b)(2a B (b)(2),(b)(3):10 USC §130b,(b)(6),(lock NCO, MA1 (b)(3) stated that b)(7)(C)
(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(
(b)(2)	
(I-)/(2).4] (/L)/(2)
12. (FOUO) MA3 (b)(3):1 (b)(2)	said (D)(2)
13. $(FOUO)$ MA1 $^{(b)(3)}$ s	tated that (b)(2)
(b)(2)	
(b)(2)	
(b)(2)	
(b)(2)	
(b)(2)	
³⁸⁰ (b)(3):10 USC 17/2006 (TA9 D1)	
(b)(3):10 USC 381 §130b,(b)(6),(b)(7 17/2006 (TAB D1) 17/2006 (TAB D1) 906 (TAB B5.a)	
363 (TAB B2.2) 384 (TAB B5.a)	
18.5 16 (TAB B2.a) 7y of Interview 060821	
SECRET//NO	F()}{\

.72

unknow comple the Alp headco (b)(2) time D opinion more.	vn member of a rangelion of a rangelion of a rangelia Block guate unt by walking for every OC ordered at the decoracy of the consequently the consequently the consequently of the consequ	of the Alpha B dom headcour ard team respo ng the tier, ex- detained. The random head etainees already, compliance	lock guard to the onded to the amining ever level to the level will be a level to the level be a le	t is false because the false because to continue to continue to continue to continue to continue the false of the medical banging for a 3-61 would not	fune 2006, an ported at 2350 the use no member anduct a random whing (b)(2) or the lexaminers' bout an hour or thave prevented the suicides.
(b)(2)					
	he following the suicides:	s SOP violatio	ns potentially	y but not dem	onstrably
(b)(2)					

SECRET//NOFORN

73

Block guards complied in full with all (b)(2)

suicides of ISNs 093, 588, and 693 could have succeeded even if the Alpha

According to the expert medical opinion of Dr. (b)(3):10 USC (I ab I-3), the "typical jail house hanging" achieves fatality within four minutes, and when a person committing suicide deliberately blocks his own airway and suspends himself fully by the neck, death occurs faster. A guard following the SOP needs to see a detainee's (b)(2) and a guard making a circuit up one side of the tier and down the other would be in front of any given cell (b)(2) Even an interval of (b)(2) between observations appears too long to prevent a determined suicide: if a detainee waited for a guard to pass and then openly hanged himself in the front of his cell, the detainee still could achieve death before the guard returned close enough to see into the cell. Except for the nooses, the elaborate preparations of the detainees in advance of their deaths only served to shrink the already small chance that doctors could revive them.

XXXIV. (U) Culpability

- 1. (FOUO) I consider it likely but impossible to prove that the detainees committed suicide shortly after 2230, during the tier watch of MASN (b)(3):10 USC
 - 2. (FOUO) MASN(b)(3):10 statement to NCIS includes a number of remarks that suggest he is not being completely forthcoming. 390
 - 3. (FOUO) MASN (b)(3):10 described how while walking the tier between 2230 and 2300, his attention was drawn to cell (b)(
 - 4. (FOUO) MASN (b)(3):10 also described how he did not investigate further, and did not inspect cells A8 and A5; these cells subsequently proved also to hold detainees who committed suicide.
 - (b)(3):10 asserted several times a lower level of professionalism for the Alpha Block guard team than other sources indicate. I interpreted these statements as attempts to spread the blame around while obliquely denying he had anything to do with the deaths.
 - 6. (FOUO) MASN (b)(3):1 also confessed to several lesser offenses against rules and procedures, to include reading a magazine in the guard shack, sending food to the guard shack, and failing to walk his post in a military manner. I interpreted these statements as attempts to distract attention from whether he should have spotted the detainees who committed suicide.
 - 7. (FOUO) MASN(b)(3):10 appeared deceptive when I interviewed him.
 - 8. (FOUO) According to the medical examiners, it is probable that the detained in cell A12, ISN 588, committed suicide at least two hours before his body was discovered at about 0035 on 10 June 2006.
 - 9. (FOUO) MASN LISC s 2230—2300 stint on the tier represents the latest rier watch consistent with the two hour estimate.
 - 10. (FOUO) MA (b)(3):10 conducted the 2200—2230 tier watch before MASN 8130b (b) shift.

³⁰⁰ NCIS (b)(3): 6/14/2006 (TAB E6.a)

11. (FOUO) The shifts of MASN (b)(3):10 USC stank (b)(6) (b)(7)(C) are the only shifts consistent with the two hour estimate that also were during the period of (b)(2) 12. (FOUO) I consider it unlikely that the detainees committed suicide before the (b)(2) 13. (FOUO) The three detainees who committed suicide took several precautions against an early discovery, so it would have been consistent for them to wait to (b)(2)
15. (FOUO) ISN 093 in particular made elaborate arrangements that he could not prudently have done in brighter light.
16. (FOUC) In addition to the guard force, HN has stated he was on Alpha Block for the purpose of delivering medication "during roughly the time frame 2137 to 2149." ³⁹¹
17. (FOUO) I consider it unlikely that the detainees committed suicide during the tier watch of MA3 (b)(3):10 USC
18. (FOUO) MA3(b)(3):1 was an experienced no-nonsense brig MA with a reputation for holding detainees to the rules.
19. (FOUO) MA3 (b)(3):1 had a history of confrontation with ISN 093, so it is unlikely that MA3 (b)(3):1 would ignore ISN 093's cell. 392
20. (FOUO) MA3 (b)(3):1 was the guard who first recognized that something was amiss in ISN 093's cell.
21. (FOUO) No evidence suggests that MA3 (b)(3):1 was a careless watch stander.
22. (FOUO) I consider it likely that the detainees were waiting for MASN (b)(3):10 tier watch, because of the strong likelihood that they had correctly identified him as the least observant member of the Alpha Block guard team.
23. (FOUO) When asked to assess MASN(b)(3):10 USC counseled him twice for being late to work. He's not energetic, not enthusiastic, and basically not a good Sailor." 193

(b)(3):10 6/16/2006 (TAB F6) 6/16/2006 reinterview (TAB BS.5) 8130b,(b)(6) (b)(7)(C)

Recommendations

XXXV. (U) Disciplinary Action

The state of the s
i. As noted above, I surmise that the detainees committed suicide during MASN (b)(3):10 2230—2300 tier watch, but I do not believe that this can be proved. Consequently, I cannot recommend disciplinary action against MASN (b)(3):10
(b)(2) n Alpha Block cells. I conclude this because the SOP authorized no response if guards were uncertain about a sleeping detainee's condition.
3. I am providing information separately to your judge advocate general regarding a possible false official statement.
XXXVI. (U) Commendations
1. Some of the guard force personnel who behaved very well during the emergency period following the discovery of the suicides merit your attention.
2. In the Alpha Block guard team, the following persons deserve your recognition:
3. MA2 (b)(3):10 USC raised the original alarm once the deception was discovered in cell A8. He retrieved the (b)(2) sheers, entered the cell, and cut down ISN 093, after which he and other guards secured ISN 093 to a backboard and carried him to the clinic at a run. When the guards returned to Alpha Block, the second and third suicides were discovered. MA2 (b)(3) called for assistance, entered cell A5 with other guards, and discovered the body of ISN 693; again he cut down the detainee. In accordance with SOP, MA2(b)(3): shackled ISN 693's legs and helped secure the detainee to a back board. Subsequently he walked the tier making detainees remove items from cell walls until ordered outside to take a breather. MA2(b)(3): stated that "I tried to hold it together and be a leader but the whole ordeal seemed like a nightmare." Regardless of his mental state, MA2(b)(3) kept making sound decisions and taking effective action. 4. MA3 (b)(3):10 USC was a ubiquitous presence in the emergency. When MA2(b)(3): raised the alarm she opened the (b)(2) kit, gave (b)(3) the sheers, and brought other assential (b)(2)
when MA20. raised the alarm she opened the [b](2) kit, gave (b)(3) the sheers, and brought other essential (b)(2) equipment to cell A8. When the deceptively arranged bedding was discovered, MA3 (b)(3):1 opened the empty adjoining cell, A7, and along with MA3 (b)(3):10 vas able to see that ISN 093 was hanging. She jumped back onto the tier, unlocked A8, and once other guards cut down ISN 093, she helped carry the detainee out onto the tier, where she (b)(2) MA3 (b)(3):10 hen was part of the
• 1

*** NCIS(b)(3) 6/15/2006 (TAB B3 a)

team that carried ISN 093 to the clinic at a run. She	advised the modical
personnel that there was(b)(2)	hat the guards were mashio
to remove, and then on orders from MA! $\binom{D}{(3)}$ ran b	ack to Alpha Block, MAR
(b)(3):10 arrived on the tier just as guards were getting	g suspicious about cell
A 12, so she unlocked that cell, and when guards dis	covered the suspended
body of ISN 588, she cut his cord. Once ISN 588 w	as lowered to the deck.
MA3(b)(3):10 and another $MA(b)(2)$	around ISN 588's
head. She went back onto the tier to check on other	detainces, and heard the
alarm at cell A5. She opened that cell to admit a tea	em of escort guards, and
when she couldn't find the shears, she ran to (b)(2)	Block for another pair
Upon returning, she found that ISN 693 had been cu	at down and prepared for
transport to the clinic, so she resumed walking the t	ier, checking on cells
waking up detaineds, and ordering them to remove:	all hanging items from the
walls. MA3 (b)(3):1 kept her head in the crisis, mad	e sound decisions, and
kept turning up at the right place and right time.	, , , , , , , , , , , , , , , , , , ,

- was walking the Alpha Block tier when he became suspicious of cent A8. In the initial effort to understand what was happening, MA3 (b)(3):1 entered the empty adjoining cell along with MA3 (b)(3):10 and was able to see that ISN 093 was hanging. MA3 (b)(3): entered A8 with other guards and helped cut down the detainee, and upon seeing that the detainee had a (b)(2) MA3 (b)(3):1 tried unsuccessfully to remove the obstruction from the airway. After securing ISN 093 to a backboard, MA3 (b)(3):1 and the other guards carried the detainee to the clinic at a run. After delivering ISN 093, MA3 (b)(3):1 heard a second (b)(2) alarm and so carried a back board from the clinic to Alpha Block, where he helped secure ISN 693 for transportation. MA3 (b)(3):1 did not remember having done so, but he then helped carry ISN 693 to the clinic. Throughout the emergency, MA3 (b)(3):1 kept making sound decisions and kept up the physically demanding work involved in cutting down two detainees, preparing them for transport to the clinic, and then carrying those detainees to the clinic at a run.
- 6. Other members of the Camp 1 guard team who deserve your recognition include:
 - 7. MASN (b)(3):10 USC §130b,(b)(6),(b)(7)(C)

 to Alpha Block by the (b)(2)

 Block NCO after the first (b)(2)

 was called for ISN 093. When they arrived, the Alpha Block guards were leaving the block with ISN 093. The Sergeant of the Guard was standing outside the block, as was MASN (b)(3):10 USC §130b,(b)(6),(b)(7)(C)

 examining detainees and cells. They detected a problem in cell A12 and sent MASN (b)(3):10 to look in the window. After MASN (b)(3):1 discovered ISN 588 hanging, (b)(3):10 USC §130b,(b)(6),(b)(7)(C) into cell A12, uncovered ISN 588's body, cut him down, and (b)(2)

 (b)(3):10 helped secure ISN 588 to a backboard and helped carry him as for as the sally, where other guards took over as stretcher bearers. (b)(3):10 and

(b)(3):10 returned to Alpha Block, where they ranged up and down the tier ordering detainees to take down all items hanging on cell walls. They remained at this duty until properly relieved. They are especially notable for having made sound decisions and taken decisive action in the absence of senior leadership.

8. (b)(3):10 USC §130b,(b)(6),(b)(7)(C) was a member of the escort team who rode in the ambulance taking ISN 093 to the hospital. He assisted the corpsman administering CPR by holding ISN 093's head and neck in place and compressing the air mask in time with the corpsman's chest compressions. In the course of this task a thick orange blood-like substance spewed out of ISN 093's mouth and over MA3 (b)(3):10 hands. As (b)(3): put it, "I pulled back, but the corpsman said to keep going," so(b)(3):10 lid, for the remainder of a rough ride to the hospital.

9. (b)(3):10 USC ed other MAs into cell A5, where he uncovered the hanging body of ISN 693. MA (b)(3):10 held the body up while another MA cut the cord. (b)(3):1 and others lowered ISN 693 to the ground, shackled him according to SOP, secured him to a backboard, and carried him to the Camp Delta medical clinic. Once in the clinic, MA1 (b)(3): heard someone in a different room with ISN 093 call for a combat camera, for which he is qualified, so he volunteered to run the video camera for approximately two minutes until instructed by COL (b)(3):10 to stop videotaping the event. He then directed two junior MAs in collecting and sorting the various materials that had come in with the detainees.

10. MA2 (b)(3):10 USC was a guard on Sally Port 4. When she heard that a detainee was attempting to hang himself, she yelled an order to another sailor on Sally Port 3 to prepare for the arrival of medical personnel. Acting on orders from MAC (b)(3) she ran to the clinic for another backboard, which she brought to cell A5. She assisted in preparing ISN 693 for transportation, and then helped carry him out of the block and to the medical clinic. While running backwards, she held ISN 693's head to prevent its uncontrolled motion. After delivering ISN 693 to the clinic, she returned to her post at Sally Port 4.

vas ou the escort team. She ran from the escort control room to Alpha Block in response to a (b)(2) brevity code, and was one of the first people to enter cell A5. She helped cut ISN 693 down, and once he was on the floor removed the (b)(2)

She and other guards secured ISN 693 to a backboard and carried him to the clinic. Inside the clinic, she responded to a call from help in an adjoining room, and began to assist a corpsman conducting CPR on ISN 588. First she stabilized the corpsman, who was balanced on the table with ISN 588, and then held the oxygen mask over the detainee's mouth. After ISN 588 was pronounced dead, MA2 (b)(3): drove with two other escort guards to the

SECRET/NOFORN

Naval Hospital, but found that ISN 093 was also dead. The guards then returned to Camp Delta.

12. (b)(3):10 USC
Block guard who was visiting Alpha
Block when guards there first were recognizing something was wrong in cell
A8. While the guards were assembling outside A8 in preparation to enter,
MA3 (b)(3):1 thought to run outside, open the shutter, and check on ISN 093's
status. When he saw that ISN 093 was hanging, he shouted to the rest of the
guards to enter, and then run around to rejoin the others. MA3 (b)(3): helped
secure ISN 093 to a backboard and carry him to the clinic. Upon returning to
Alpha Block, MA3 (b)(3):1 found that two more suicides had been discovered;
he was one of the first guards to enter cell A5, and he pulled aside the
concealing blanket to reveal ISN 693. After helping cut down ISN 693, MA3
(b)(3):1 etrieved restraints for use in accordance with SOP, and then went to
cell A12, where he joined the team that carried ISN 588 to the clinic. After
that, he returned to his own block and resumed his duties there.

XXXVII. (U) Recommendations Regarding Development of Junior Leaders

- 1. Develop explicit training for staff NCOs and junior officers to help them resist detained wheedling, intimidation, or other manipulative behavior designed to persuade camp and IDG leaders to relax standards. It is especially important that the incoming members of the Naval Expeditionary Guard Battalion get a demonstration of firm enforcement during their training period—clearly detained exploited the turnover last year.
- 2. Ensure that performance reviews are neither positively nor negatively fied to the frequency of disciplinary actions, detained complaints, or riots—COL(b)(3):10 alluded to this practice in his statement to NCIS.
- 3. Redirect the focus of shift supervisors and junior officers who bartered for relative detainee quiescence at the expense of guard credibility. Two junior officers in particular, ENS (b)(3):10 USC §130b,(b)(6),(b)(7)(C) are named by an array of sources as failing to back up sailors in the firm enforcement of Camp 1 rules. Guard morale took a beating as a result. Of all the personnel in Camp 1, junior petty officers and seamen represent the greatest proportion of pro-enforcement sentiment, and they expressed strongly positive feelings about their job when they are working for Sergeants of the Guard and Platoon Leaders who back them up. This positive attitude helps them shrug off detainee bad behavior.

XXXVIII. (U) Confirmation of Command Philosophy

1. A sure	eal pair of Camp	l Sergeant of the	he Guard Log er	ntries from 27	7 April 06
(night) den	nonstrate someti	uing of the exten	t to which JDG	command ph	ilosophy and
<u>detaince m</u>	indset were mis	aligned in Camp	i last spring: "	If detainees (b)(2)
(b)(2)	por MAC $(b)(3)$:	I0 USC	(\$3)" and "No	(b)(2)	
	[*] <u>ጸ13በႹ</u>	/h\/6\ /h\/7\/C\			